









Grow with us


Water-resistant laminate flooring is the best of both worlds. For consumers, water resistance is very important for most families. For brands/distributors, this product can create more premiums.

Global Laminate Flooring Market is Expected to Account for USD 44.36 Billion by 2029. CAGR of 5.5% during the forecast period 2022–2029.

(Source: Data Bridge Market Research Market Analysis Study 2022)




Structure at a glance



Thickness	8mm, 12mm
Dimension	1215 × 196, 1218 × 195, 1800 × 197
AC Rating	AC3, AC4
Locking system	Unilin
Design	V-Groove
Density	900kg/m³



THE SECRET OF WATER-RESISTANC



Water-Resistant Ultra Core

DECNO high-density ultra core, stable and durable, long-lasting water resistance.

Environmentally friendly wood-based fiber, not easy to be damp and moldy.

7 x 24h health guard.





Hydrophobic coating technology is applied to the joints, which makes the tightly connected locking system have stronger water resistance and resists all moisture intrusion.


Extra Sealer Say No to Water

A critical step in waterproof laminate flooring is to prevent moisture from leaking beneath the surface. After the floor is installed, use silicone sealant to seal the perimeter of the room, this will keep everyday household spills from penetrating the surface of the floor and keep moisture from intruding.



skirting










As a new generation of laminate flooring, DECNO water–resistant laminate has a high–density Ultra Core.

After soaking for 32 hours, the water swelling rate of DECNO Ultra Core Laminate is generally below 4%.

This test data is far better than the EU standard.

Ultra-Core Laminate

Thickness swelling rate is only < 5% (24h)




Health, We Value!

The pursuit of healthy products originates from our respect for nature. Our Ultra Core laminate floors are sourced locally from high-quality wood sources and are free of contaminants from the start of production. Our products have passed many of the most accepted and recognized tests around the world and perform extremely well, so you don't have to worry about it.










Exploring Nature's Beauty

Who doesn't want to be close to nature and live with nature? Every plank is a natural work of art.







- ·Standard Plank
- · V-Groove Design
















- · 12mm Standard Plank
- True to Nature
- · 4-Sided V-Groove

· Pitted Surface

· V-Groove

• 8.0mm + 2.0mm EVA

• 10.0mm Standard Plank









Our Clients SCIY

Dear Fiona,

We received the container, the product is great, really beautiful!

Also, I heard that you have LVT and laminate flooring, and I expect that we can have more cooperation.

— From Australia



Для вас, Виктория, у меня всегда есть время! Вы действительно очень помогаете, у вас все под контролем и работать с вами одно удовольствие! Я это очень ценю

---From Russia

Hi Sara

Thank you so much for helping me match the colors, I have to say you guys are really professional. I heard that your new hardwood SPC flooring has started production, I am interested in it, I would like to know more!

Thank you and Kind Regards,

-From UK



Hi Fric

Frankly speaking, your product quality and service deserve praise. Your SPC floor has won me many clients in the market. And you always answer my questions patiently.

-From Germany

The quality of yours floors all pretty well, and our clients are very happy with it.our realstate client is growing, so we expect to sell more floors.

I will keep you updated, more frecuently, so you can be more involve with us.best regards

—From the U.S.



I have received 2 cabinets of SPC floors. Your production and delivery are on time, which is really important to me. I will continue to send new orders to you next month. Many thanks.

---From South Africa

Firstly about DECNO products: it's just simply perfect always written specs are exactly what we used to have feed of me as en expert and of clients as well is just the right choose. Honestly decno products easily beat many other German and European products.

I'm confidently recommend DECNO products.

-From Germany



Sherry is one of the best sales person I've ever deal with. You are always there and very reachable whenever needed.

I never forgot when had an order stuck due to some logistics issues and how I could solve the matter locally just cause of your 24/7 support and cooperation.

It was a real pleasure to work with you indeed and learn what real hard worker sales person means just from you.

-From Saudi Arabia



Orango for garain House for form




Thanks for having a loyal supplies with me providing great flooring to support my business. DECNO has been very accommoditie. Which makes my job a lot easier Thanks my friends!



When selecting for several ylans ago, we wrere empress, where empress, which for professionalism. In her consister ay particular at a high lavel and nover stopped to bring us amedia now. Thenk you for your dedication

and on where service









JICL about we have a vigored response and also the feether about the fuelity settless is escellent. Really they sately





DECNO.

When salacting you several ylans ago, we were unpresent with your proples invaling. You have consistency performed at a high band and never stopped to bring us anething new. Thank you for your dedication and excellent services.



效效效效效

Contact us Click the link and explore more!

website

English

https://www.decnofloorings.com/

Russian

https://ru.decnofloorings.com/

Español

http://es.decnofloorings.com/

German

http://de.decnofloorings.com/

Saudi Arabia

http://ae.decnofloorings.com/

Social Media Platform

f https://www.facebook.com/ChinaSPCflooring/

https://www.youtube.com/channel/UCXOFREWCBZLkMXQgvqD4vIA

in https://www.linkedin.com/company/decno-flooring

https://twitter.com/Flooring_SPC

https://www.instagram.com/spc_flooring/

Welcome to visit DECNO!

DECNO Flooring [] Q Google

Tel: +86-531-87939294

Web: www.decnofloorings.com Email: sales@decnoflooring.com Whatsapp/Wechat:+8617736066787







